Author Index

Adams, D. G. & Duggan, P. S., Tansley Review No. 107 Heterocyst and akinete differentiation in cyanobacteria, 3
Ahlers, U. (see Thomas, F. M.), 73
Alegre, L. (see Munne-Bosch, S.), 109
Ando, T. (see Kohzu, A.), 323
Anegg, S. (see Grams, T. E. E.), 95
Aranwela, N., Sanson, G. & Read, J., Methods of assessing leaf-fracture properties, 369
Ayres, P., Editorial, 1
Barker, S. J. (see Rosewarne, G. M.), 507
Barnes, J. D. (see Gimeno, B. S.), 245
Barton, C. V. M. & Jarvis, P. G., Growth response of branches of *Picea sitchensis* to four years exposure to elevated atmospheric carbon dioxide concentration, 233
Bell, T. L. & Ojeda, F., Underground starch storage in *Erica* species of the Cape Floristic Region – differences between seeders and resprouters, 143
Bender, J. (see Bergmann, E.), 423
Bergmann, E., Bender, J. & Weigel, H.-J., Ozone threshold doses and exposure–response relationships for the development of ozone injury symptoms in wild plant species, 423
Bermejo, V. (see Gimeno, B. S.), 245
Bernstein, N. (see Lazof, D. B.), 85
Beuselinck, P. (see Emery, K. M.), 549
Blatt, M. R., Leyman, B. & Geelen, D., Tansley Review No. 108 Molecular events of vesicle trafficking and control by SNARE proteins in plants, 389
Blom, C. W. P. M. (see Nabben, R. H. M.), 313
Bruhn, D. (see Leverenz, J. W.), 437
Castro, J., Seed mass versus seedling performance in Scots pine: a maternally dependent trait, 153
Chabbi, A., *Juncus bulbosus* as a pioneer species in acidic lignite mining lakes: interactions, mechanism and survival strategies, 133
Clark, D. R., Merrett, M. J. & Flynn, K. J., Utilization of dissolved inorganic carbon (DIC) and the response of the marine flagellate *Isochrysis galbana* to carbon or nitrogen stress, 463
Collado, J., Platas, G., González, I. & Peláez, F., Geographical and seasonal influences on the distribution of fungal endophytes in *Quercus ilex*, 525
Cunnington, J. H. (see McLean, C. B.), 351
Dawson, J., Sözen, E., Vizir, I., van Waeyenberge, S., Wilson, Z. A. & Mulligan, B. J., Characterization and genetic mapping of a mutation (*ms35*) which prevents anther dehiscence in *Arabidopsis thaliana* by affecting secondary wall thickening in the endothecium, 213
Dewey, F. M., Li Wong, Y., Seery, R., Hollins, T. W. & Gurr, S. J., Bacteria associated with *Stagonospora* (*Septoria*) *nodorum* increase pathogenicity of the fungus, 489
Diaz, A. & Macnair, M. R., Pollen tube competition as a mechanism of prezygotic reproductive isolation between *Mimulus nasutus* and its presumed progenitor *M. guttatus*, 471
Di Cagno, R., Guidi, L., Stefani, A. & Soldatini, G. F., Effects of cadmium on growth of *Helianthus annuus* seedlings: physiological aspects, 65
Dickson, S., Smith, S. E. & Smith, F. A., Characterization of two arbuscular mycorrhizal fungi in symbiosis with *Allium porrum*: colonization, plant growth and phosphate uptake, 163
——, Smith, S. E., Smith, F. A., Characterization of two arbuscular mycorrhizal fungi in symbiosis with *Allium porrum*: inflow and flux of phosphate across the symbiotic interface, 173
Duggan, P. S. (see Adams, D. G.), 3
Ecke, M. (see Nehls, U.), 195
Emery, K. M., Beuselinck, P. & English, J. T., Evaluation of the population dynamics of the forage legume *Lotus corniculatus* using matrix population models, 549
English, J. T. (see Emery, K. M.), 549
Feugey, L., Strullu, D.-G., Poupard, P. & Simoneau, P., Induced defence responses limit Hartig net formation in ectomycorrhizal birch roots, 541
Finlay, R. (see Lindahl, B.), 183
Flynn, K. J. (see Clark, D. R.), 463
Geelen, D. (see Blatt, M. R.), 389
Gimeno, B. S., Bermejo, V., Reinert, R. A., Zheng, Y. & Barnes, J. D., Adverse effects of ambient ozone on watermelon yield and physiology at a rural site in Eastern Spain, 245
González, I. (see Collado, J.), 525
Grams, T. E. E., Anegg, S., Häberle, K.-H., Langebartels, C. & Matyssek, R., Interactions of chronic exposure to elevated CO_2 and O_3 levels in the photosynthetic light and dark reactions of European beech (*Fagus sylvatica*), 95
Guidi, L. (see Di Cagno, R.), 65
Gurr, S. J. (see Dewey, F. M.), 489
Gwynn Jones, D. (see Mendez, M.), 275
Häberle, K.-H. (see Grams, T. E. E.), 95
Hampp, R. (see Nehls, U.), 195, 343
Hietala, A. M. (see Sen, R.), 331
Hogetsu, T. (see Zhou, Z.), 55
Hollins, T. W. (see Dewey, F. M.), 489
Imhof, S., Anatomy and mycotrophy of the achlorophyllous *Afrothismia winkleri*, 533
Jarvis, P. G. (see Barton, C. V. M.), 233
Jelitto, T. C., Confocal ratio imaging of cytoplasmic pH during germ tube growth and appressorium induction by *Magnaporthe grisea*, 499
Kleber, R. (see Nehls, U.), 343
Koba, K. (see Kohzu, A.), 323
Koevoets, P. L. M. (see Sneller, F. E. C.), 223
Kohzu, A., Yoshioka, T., Ando, T., Takahashi, M., Koba, K. & Wada, E., Natural ^{13}C and ^{15}N abundance of field-collected fungi and their ecological implications, 323
Kraaijeveld-Smit, F. J. L. (see Sneller, F. E. C.), 223
Langebartels, C. (see Grams, T. E. E.), 95
Lawrie, A. C. (see McLean, C. B.), 351
Lazof, D. B. & Bernstein, N., Effects of salinization on nutrient transport to lettuce leaves: consideration of leaf developmental stage, 85
Leishman, M. R., Sanbrooke, K. J. & Woodfin, R. M., The effects of elevated CO_2 and light environment on growth and reproductive performance of four annual species, 455
Leverenz, J. W. (see Paludan-Müller, G.), 261
——, Bruhn, D., Saxe, H., Responses of two provenances of *Fagus sylvatica* seedlings to a combination of four temperature and two CO_2 treatments during their first growing season: gas exchange of leaves and roots, 437
Leyman, B. (see Blatt, M. R.), 389
Li Wong, Y. (see Dewey, F. M.), 489
Lindahl, B., Stenlid, J., Olsson, S. & Finlay, R., Translocation of ^{32}P between interacting mycelia of a wood-decomposing fungus and ectomycorrhizal fungi in microcosm systems, 183
Lovett-Doust, L. (see Susko, D. J.), 295
McLean, C. B., Cunnington, J. H. & Lawrie, A. C., Molecular diversity within and between ericoid endophytes from the Ericaceae and Epacridaceae, 351
Macnair, M. R. (see Diaz, A.), 471
Manetas, Y. (see Mendez, M.), 275
Martin, C. E. (see Woerner, A. C.), 307
Matyssek, R. (see Grams, T. E. E.), 95
Mendez, M., Gwynn Jones, D. & Manetas, Y., Enhanced UV-B radiation under field conditions increases anthocyanin and reduces the risk of photoinhibition but does not affect growth in the carnivorous plant *Pinguicula vulgaris*, 275
Merrett, M. J. (see Clark, D. R.), 463
Mikolajewski, S. (see Nehls, U.), 195

Miwa, M. (see Zhou, Z.), 55

Moir, A. K., The dendrochronological potential of modern yew (*Taxus baccata*) with special reference to yew from Hampton Court Palace, UK, 479

Mulligan, B. J. (see Dawson, J.), 213

Munne-Bosch, S., Nogués, S. & Alegre, L., Diurnal variations of photosynthesis and dew absorption by leaves in two evergreen shrubs growing in Mediterranean field conditions, 109

Nabben, R. H. M., Blom, C. W. P. M. & Voesenek, L. A. C. J., Resistance to complete submergence in *Rumex* species with different life histories: the influence of plant size and light, 313

Nehls, U., Mikolajewski, S., Ecke, M. & Hampp, R., Identification and expression analysis of two fungal cDNAs regulated by ectomycorrhiza and fruit body formation, 195

——, Kleber, R., Wiese, J., Hampp, R., Isolation and characterization of a general amino acid permease from the ectomycorrhizal fungus *Amanita muscaria*, 343

Newsham, K. K., *Phialophora graminicola*, a dark septate fungus, is a beneficial associate of the grass *Vulpia ciliata* ssp. *ambigua*, 517

Niinemets, Ü., Research review: Components of leaf dry mass per area – thickness and density – alter leaf photosynthetic capacity in reverse directions in woody plants, 35

Nogués, S. (see Munne-Bosch, S.), 109

Ojeda, F. (see Bell, T. L.), 143

Olsson, S. (see Lindahl, B.), 183

Paludan-Müller, G., Saxe, H. & Leverenz, J. W., Responses to ozone in 12 provenances of European beech (*Fagus sylvatica*): genotypic variation and chamber effects on photosynthesis and dry-matter partitioning, 261

Peláez, F. (see Collado, J.), 525

Platas, G. (see Collado, J.), 525

Poupard, P. (see Feugey, L.), 541

Prévost, M. F. (see Roggy, J. C.), 283

Read, J. (see Aranwela, N.), 369

Reich, P. B. (see Vanderklein, D. W.), 121

Reinert, R. A. (see Gimeno, B. S.), 245

Rodriguez, D., van Oijen, M. & Schapendonk, A. H. M. C., LINGRA-CC: a sink–source model to simulate the impact of climate change and management on grassland productivity, 359

Roggy, J. C. & Prévost, M. F., Nitrogen-fixing legumes and silvigenesis in a rain forest in French Guiana: a taxonomic and ecological approach, 283

Rosewarne, G. M., Barker, S. J., Smith, S. E., Smith, F. A. & Schachtman, D. P., A *Lycopersicon esculentum* phosphate transporter (*LePT1*) involved in phosphorus uptake from a vesicular–arbuscular mycorrhizal fungus, 507

Sanbrooke, K. J. (see Leishman, M. R.), 455

Sanson, G. (see Aranwela, N.), 369

Saxe, H. (see Paludan-Müller, G.), 261

——, (see Leverenz, J. W.), 437

Schachtman, D. P. (see Rosewarne, G. M.), 507

Schapendonk, A. H. M. C. (see Rodriguez, D.), 359

Schat, K. (see Sneller, F. E. C.), 223

Seery, R. (see Dewey, F. M.), 489

Sen, R., Hietala, A. M. & Zelmer, C. D., Common anastomosis and internal transcribed spacer RFLP groupings in binucleate *Rhizoctonia* isolates representing root endophytes of *Pinus sylvestris*, *Ceratorhiza* spp. from orchid mycorrhizas and a phytopathogenic anatomosis group, 331

Simoneau, P. (see Feugey, L.), 541

Smith, F. A. (see Dickson, S.), 163, 173

——, (see Rosewarne, G. M.), 507

Smith, S. E. (see Dickson, S.), 163, 173

——, (see Rosewarne, G. M.), 507

Sneller, F. E. C., van Heerwaarden, L. M., Kraaijeveld-Smit, F. J. L., Ten Bookum, W. M., Koevoets, P. L. M., Schat, K. & Verkleij, J. A. C., Toxicity of arsenate in *Silene vulgaris*, accumulation and degradation of arsenate-induced phytochelatins, 223

Soldatini, G. F. (see Di Cagno, R.), 65

Sözen, E. (see Dawson, J.), 213

Stefani, A. (see Di Cagno, R.), 65

Stenlid, J. (see Lindahl, B.), 183

Strullu, D.-G. (see Feugey, L.), 541

Susko, D. J. & Lovett-Doust, L., Effects of resource availability, and fruit and ovule position on components of fecundity in *Alliaria petiolata* (Brassicaceae), 295

Takahashi, M. (see Kohzu, A.), 323

Ten Bookum, W. M. (see Sneller, F. E. C.), 223

Thomas, F. M. & Ahlers, U., Effects of excess nitrogen on frost hardiness and freezing injury of above-ground tissue in young oaks (*Quercus petraea* and *Q. robur*), 73

Vanderklein, D. W. & Reich, P. B., The effect of defoliation intensity and history on photosynthesis, growth and carbon reserves of two conifers with contrasting leaf lifespans and growth habits, 121

van Heerwaarden, L. M. (see Sneller, F. E. C.), 223

van Oijen, M. (see Rodriguez, D.), 359

van Waeyenberge, S. (see Dawson, J.), 213

Verkleij, J. A. C. (see Sneller, F. E. C.), 223

Vizir, I. (see Dawson, J.), 213

Voesenek, L. A. C. J. (see Nabben, R. H. M.), 313

Wada, E. (see Kohzu, A.), 323

Weigel, H.-J. (see Bergmann, E.), 423

Wiese, J. (see Nehls, U.), 343

Wilson, Z. A. (see Dawson, J.), 213

Woerner, A. C. & Martin, C. E., Mechanistic basis of differences in water-use efficiency between a CAM and a C_3 species of *Peperomia* (Piperaceae), 307

Woodfin, R. M. (see Leishman, M. R.), 455

Yoshioka, T. (see Kohzu, A.), 323

Zelmer, C. D. (see Sen, R.), 331

Zheng, Y. (see Gimeno, B. S.), 245

Zhou, Z., Miwa, M. & Hogetsu, T., Analysis of genetic structure of a *Suillus grevillei* population in a *Larix kaempferi* stand by polymorphism of inter-simple sequence repeat (ISSR), 55

Subject Index

Acclimation, 437
Adaptations, 313
Afrothismia, 533
Akinete, 3
Alliaria petiolata (garlic mustard), 295
Allocation, 233
AM fungi, 163, 173
Anastomosis group I, 331
Anatomy, 533
Anther dehiscence, 213
Anthocyanins, 275
Arabidopsis thaliana, 213
Arbuscular mycorrhiza, 533
Arbuscule, 507
Arsenic detoxification, 223
Arsenic toxicity, 223
Bark, 73
Basidiocarp, 323
Basidiomycete, 195, 343
Betula pendula, 541
Binucleate *Rhizoctonia*, 331
Birch, 541
Boreal orchids, 331
Branch bags, 233
Burmanniaceae, 533
^{13}C, 323
C isotope discrimination, 245
C_3 photosynthesis, 307
Calcium, 85
Carbohydrates, 121
Carbon, 463
Carbon allocation, 121
Carbon dioxide, 359
Carbonic anhydrase, 463
Cardamine hirsuta, 455
Carnivorous plant, 275
Cd^{2+} toxicity, 65
cDNA, 195
Ceratobasidium cornigerum, 331
Ceratorhiza, 331
Chamber effects, 261
Chlorophyll fluorescence, 65, 95
Chronic effects, 95
Citrullus lanatus (watermelon), 245
Climate change, 359
CO_2, 455
Confocal ratio imaging, 499
Crassulacean acid metabolism, 307
Critical levels, 261
Cyanobacteria, 3
Cytoplasmic pH, 499
Dark septate (DS) fungus, 517
Defence, 541
Defoliation, 121, 295
Dendrochronology, 479
Deradication, 295
DIC, 463
Differential screening, 195
Differentiation, 3
Diurnal cycles, 109
Drought, 73, 109
Ectomycorrhiza, 55, 183
Ectomycorrhizal fungi, 323
Editorial, 1
Electronic autoradiography, 183
Elevated CO_2, 95
Elevated , 233
elevated CO_2, 437
Endocytosis, 389
Endodermis, 133
Endomembrane system, 389
Endoplasmic reticulum, 389
Endothecium, 213
Epacridaceae, 351
Erica, 143
Ericoid mycorrhiza, 351
European beech (*Fagus sylvatica*), 95
Exocytosis, 389
Fagus sylvatica, 261, 437
Flooding, 313
Forage ecology, 549
Forage legume, 549
Frost hardiness, 73
Fruit quality, 245
Fruit removal, 295
Functional groups of species, 283
Fungal endophyte, 351
Fungal endophytes, 525
Fungal pathogen, 489
Fungi, 343
Fynbos, 143
Gas exchange, 65, 95, 261
Gene expression, 195, 343
Genet, 55
Genetic mapping, 213
Geographical distribution, 525
Gln:Glu, 463
Global change, 455
Glomus sp. 'City Beach', 163, 173
Golgi apparatus, 389
Grassland productivity, 359
Growth, 233
Hampton Court, 479
Helper bacteria, 489
Herbivory, 369
Heterocyst, 3
Hymenoscyphus ericae, 351
In situ RNA localization, 507
Indicator plants, 423
Internal transcribed spacer, 351
Internal transcribed spacer RFLPs, 331
Inter-simple sequence repeat (ISSR), *Larix kaempferi*, 55
Interspecific comparisons, 35
Iron plaque, 133
Iron uptake, 133
Juncus bulbosus, 133
Lactuca sativa (lettuce), 85
Larix leptolepis (Japanese larch), 121
Lavandula stoechas, 109
Leaf anatomy, 35
Leaf density, 35
Leaf development, 85
Leaf dew absorption, 109
Leaf gas exchange, 245, 437
Leaf growth, 85
Leaf lifespan, 121
Leaf mass per area, 35
Leaf nitrogen, 35
Leaf physical/Fracture properties, 369
Leaf thickness, 35
Legumes, 283
Life history, 313
Light, 455
Light level, 313
Litter-decomposing fungi, 323
Lolium perenne, 359
Lotus corniculatus (birdsfoot trefoil), 549
Male sterility, 213
Maternal effects, 153
Matrix population model, 549
Mediterranean, 245
Mimulus, 471
Mining sediment, 133
Modelling, 359

Morphology, 533
Mycelium extension, 55
Myco-heterotrophy, 533
Mycorrhiza, 195, 507, 541
^{15}N, 323
N, 343
N_2 fixation, 283
Nitrogen, 73, 463
Nitrogen fixation, 3
Nodular structures, 283
Nutrient cycling, 183
Nutrient supplementation, 295
Nutrient transport, 85
Nutrition, 85
Nutritional status, 463
Oidiodendron, 351
OTC, 261
Ozone, 245, 261
Ozone injury, 423
Ozone (O_3), 95
Ozone threshold dose, 423
P uptake, 163, 173
PAL, 541
Pathogenicity, 489
Patterns of seed maturation and abortion, 295
Paxillus involutus, 183
Penetrometer, 369
Peperomia, 307
Phenylalanine-ammonia lyase, 541
Phialophora graminicola, 517
Phosphate, 507
Phosphorus, 517
Photoinhibition, 275
Photosynthesis, 35, 95, 109, 121
Phylogeny, 351
Phytochelatins, 223
Picea sitchensis, 233
Pinguicula vulgaris, 275
Pinus resinosa (red pine), 121
Pinus sylvestris (Scots pine), 153, 331
Plant development, 85
Plant growth, 163
Plant size, 313
Plant water relations, 109
Poa annua, 455
Pollen competition, 471
Pollen tube growth, 471
Polymerase chain reaction, 351
Population, 55
Population dynamics, 549
Population establishment, 549
Post-fire regeneration, 143
PR-10 proteins, 541
Prezygotic barriers, 471
Provenance, 437
Provenances, 261
Punch test, 369
Quercus ilex, 525
Quercus (oak), 73
Relative water content, 65
Reproductive isolation, 471
Reproductive output, 455
Resource re-allocation, 295
Response function, 479
Rice blast, 499
Root anatomy, 143
Root endophytes, 331
Root plus soil respiration, 437
Root:shoot ratio, 261
Rosmarinus officinalis, 109
Rubisco, 245
Rumex, 313
Salinity, 85
saprotrophic fungi, 183
Sclerophylly, 369
Scutellospora calospora, 163, 173
Seasonal distribution, 525
Secretion, 389
Seed mass, 153
Seed quality, 455
Seedling performance, 153
Senecio vulgaris, 455
Shearing, 369
Silene vulgaris, 223
Sink–source relationships, 359
Sitka spruce, 233
SNARE proteins, 389
SNARF-1, 499
Spain, 525
Species sensitivity, 423
Spergula arvensis, 455
Spore dispersal, 55
Stable isotopes, 323
Stagonospora (*Septoria*) *nodorum*, 489
Starch, 121
Stomata, 307
Stomata conductance, 95
Stomatal conductance, 65
Storage tissue, 143
Stress, 109, 463
Submergence, 313
Suillus grevillei, 55
Suillus variegatus, 183
Sunflower, 65
Taxonomy, 283
Taxus baccata, 479
Tearing, 369
Temperature, 437
Tip growth, 499
Tomato, 507
Toughness, 369
Toxicity, 133
Transport, 343, 507
Triticum aestivum (wheat), 489
UV-B radiation, 275
Vesicle trafficking, 389
Vulpia ciliata ssp. *ambigua*, 517
Water-use efficiency, 307
Wild plants, 423
Wood-decomposing fungi, 323
Woody species, 35
Xanthomonas maltophilia, 489
Yew, 479
Yield, 245